

# Oppy S3 Heritage Bike

The Oppy S3 Heritage Bike builds on the great reputation of our Oppy S bikes from prior seasons, by adding branded and lightweight Reynolds tubing, thru axles front and rear, superlight carbon forks and a light and bullet proof SRAM 1x11sp hydraulic group set. Componentry steps up to 43mm wide Panaracer Gravelkings that can be set up tubeless and a light, comfortable but still suitably 'retro' looking Selle San Marco saddle. Classic looks, cutting edge modern features and performance.

## Features


- Fully butted Reynolds frame with tapered head tube, CNC dropouts and thru axles
- Superlight TRP full carbon CX fork with 12mm thru axle
- SRAM 1x11 Rival super wide range components and hydraulic disc brakes

## Specifications

Model	
Frame	Fully butted Reynolds 520 Cr-Mo with 12x142mm Thru Axle CNC dropouts, tapered head tube and full rack and fender mounts.
Fork	TRP Carbon CX with tapered steerer, post mount and 12mmx100mm Thru Axle
Wheels	

Wheelset / Rims	DT Swiss R470 Disc rims & spokes, sealed bearing hubs 12x100/12x142 Thru axles w/Syncros thru axles 32H
Hubs	DT Swiss R470 Disc rims & spokes, sealed bearing hubs 12x100/12x142 Thru axles w/Syncros thru axles 32H
Spokes	DT Swiss R470 Disc rims & spokes, sealed bearing hubs 12x100/12x142 Thru axles w/Syncros thru axles 32H
Tyres	Panaracer GravelKing 700 x 43c, tubeless, folding, tan wall w/puncture protection breaker
Drivetrain	
Shifters	SRAM Rival 1 1x11sp, with SRAM cables
Front Derailleur	NA
Rear Derailleur	SRAM Rival 1 11sp medium cage
Crankset	SRAM Rival 1 with X-SYNC 40T chain wheel, S=170mm, M=172.5mm, L/XL=175mm
Bottom Bracket	SRAM Rival 1 GXP XR outboard with alloy cups and sealed bearings
Chain	SRAM Rival 1 CN-1130 11sp with quick link
Cassette	SRAM PG 1130 11-36T 11sp
Components	
Brakes	SRAM Rival 1 hydraulic road direct mount, centreline 6-bolt rotors, 160mm front, 140mm rear
Brake Levers	SRAM Rival 1 for mechanical shifting and hydraulic brakes
Handlebar	Zero Attack Pro S alloy 31.8, shallow drop. S=400mm, M=420mm, L/XL=440mm

Handlebar Stem	3D Forged alloy 31.8, +/-7 deg, S=80mm, M=90MM, L-XL=100mm
Headset	FSA Orbit ITA (#9M) 1 1/8th to 1.5" with sealed bearings and alloy cups
Grips	Leather look PU
Pedals	NA
Saddle	Selle San Marco Regal Evo with woven cover and carbon reinforced shell
Seat Post	Zero Attack alloy 27.2 x 350mm
EXTRAS	Adaptor for rear brake calliper to allow use with 160mm rotor



## Geometry

	Size	S	M	L	XL
A	Seat Tube Length (C-Top) - MM	530	555	575	585
B	Horizontal Top Tube Length - MM	520	545	565	585
C	Head Tube Length - MM	105	125	145	160
D	Head Angle - Degrees	71	71	71.5	71.5
E	Seat Angle - Degrees	75	73	73	72.5
	BB Drop - MM	72.5	72.5	70	70
F	Chainstay Length - MM	440	440	440	440

	Front Centre - MM	591	596	612	627
<b>G</b>	Wheelbase - MM	1020	1026	1042	1057
	Fork Offset - MM	47	47	47	47
	Reach	374	373	387	397
	Stack	544	563	581	596
	Handlebar Width CC - MM	400	420	440	440
	Stem Length - MM	80	90	100	100
	Crank Length - MM	170	172.5	175	175
	Seatpost Length - MM	350	350	350	350